

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3516	(detect\$3 or sens\$3 or monitor\$3) near5 (fail\$4 or malfunction or inoperat\$4) near7 (light\$3 or illuminat\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:04
L2	90396	(brake or revers\$3 or headlight or rear or stop\$4 or emergency) near3 (light\$3 or lamp)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:05
L3	34156	(emit\$4 or illuminat\$3 or activat\$3 or trigger\$3 or operat\$3) near4 ((two or three or more) near2 (light\$3 or lamp))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:39
L4	0	1 same 3 same intensity	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:07
L5	23	1 same 3	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:07
L6	8	5 and intensit\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:10
L7	1	2 and 6	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:10
L8	2	6 and (automo\$4 or car or vehicle)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:12
L9	20886	2 with (automo\$4 or car or vehicle)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:59
L10	0	6 and 9	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:12
L11	14	1 and 3 and 9	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:13
L12	697	(emit\$4 or illuminat\$3 or activat\$3 or trigger\$3 or operat\$3) near4 ((two or three or more) near2 (light\$3 or lamp) near2 (intensit\$3 or levels))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:40
L13	0	11 and 12	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:41
L14	1	1 and 2 and 12	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:43

EAST Search History

L15	2	("5680098").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2007/07/19 09:44
L16	0	12 and 15	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:58
L17	1	1 same 12	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:59
L18	0	1 and 12 and (automobile or car or vehicle)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/19 09:59

US 6525654 B1	Vehicle electrical circuit	340/438	340/425.5; 340/431; 701/34
US 5432526 A	Liquid crystal display	345/87	349/161
US 4956633 A	Break light enhancer	340/471	340/479
US 4495444 A	Vehicle lighting system	315/82	307/10.8; 315/83; 315/93
US 4348613 A	Lamp failure indicator	315/130	315/77; 340/642
US 6756893 B1	Light emitting diodes	340/458	315/77; 315/88; 362/249
US 5949346 A	Light-driven display device	340/815.45	116/286; 116/288; 116/290; 340/4
US 5398041 A	Colored liquid crystal	345/88	349/161; 349/61
US 5178446 A	Centralized lighting system	362/20	362/254; 362/802
US 4672457 A	Scanner system	348/761	348/748; 348/751
US 4614415 A	Illumination signal processor	345/84	345/88
US 4587597 A	Emergency exit light	362/20	362/362; 362/812; 40/553; 40/570
US 3986022 A	Illumination control system	250/205	315/151; 349/16; 349/193; 349/195
DE 413554 A1, C2	Circuit arrangement for towing trailer - supplies additional current to		